
## Product data sheet





Rotary Hammer with SDS max

GBH 5-40 D



Bosch's entry-level tool in the SDS max rotary hammer category

#### The most important data

•	
Rated input power	1,100 W
Impact energy (according to EPTA 05/2016)	8.5 J
Drilling dia. concrete, hammer drill bits	12 – 40 mm

**Part Number** 0 611 269 060

### Technical data

#### Performance data

Impact rate at rated speed	1,500 - 2,900 bpm	
Rated speed	170 – 340 rpm	
Technical data		
Tool holder	SDS max	
Impact energy (according to EPTA 05/2016)	8.5 J	
Rated input power	1,100 W	
Packaging dimensions (width x length x height)	408 x 614 x 147 mm	
Voltage, electrical	110 V	
Weight	6.8 kg	
Drilling range		
Drilling dia. concrete, hammer drill bits	12 – 40 mm	
Opt. appl. range concrete, hammer drill bits	18 – 32 mm	
Drilling dia. concrete, breakthrough drill bits	45 – 55 mm	
Drilling diameter in concrete with core cutters	40 – 90 mm	

# Noise/vibration information

#### Hammer drilling in concrete

Vibration emission value ah	16.5 m/s <sup>2</sup>
Uncertainty K	2.3 m/s <sup>2</sup>
Chiselling in concrete	
Vibration emission value ah	9 m/s²
Uncertainty K	1.5 m/s <sup>2</sup>

# Invented for life

## Product data sheet

#### Power tools for trade & industry

# Advantages:

- Compact and lightweight for work in hard-to-reach places
- Durable due to robust metal components and optimised lubrication system
- Strong motor enables the delivery of 8.5 J of impact energy for fast drilling and high removal rate



